

| タイプ及び嵌合方式 | 品名    | 表面色<br>※ | シート部     |             |        |    |     |     |      |                             | 遮蔽材  |      |     | ホック材質<br>※ | 難燃規格 |                          |            |
|-----------|-------|----------|----------|-------------|--------|----|-----|-----|------|-----------------------------|------|------|-----|------------|------|--------------------------|------------|
|           |       |          | シート部厚み   | 適用温度特殊<br>※ | 塩ビフリー  | 耐熱 | 耐電圧 | 屈曲性 | 車材燃試 | UL94<br>非登録※<br>VTM-0相当品/UL | アルミ  | メッシュ | 導電布 |            |      |                          |            |
| ジッパータイプ   | Zトラック |          | SHNJ     | 0.43mm      |        |    |     |     |      | ●                           | ●    | 70μm |     |            |      |                          |            |
|           |       |          | SHNF(AR) | 0.28mm      |        |    |     |     |      | ●                           | ●    | 20μm |     |            |      |                          |            |
|           |       |          | SHNF     | 0.24mm      |        |    |     |     |      |                             | ●    | 10μm |     |            |      |                          |            |
|           |       |          | SHNX     | 0.24mm      |        |    |     |     |      |                             | ●    | 10μm | 2層  |            |      |                          |            |
|           |       |          | SHNS     | 0.24mm      |        |    |     |     |      |                             | ●    | 10μm |     | ●          |      |                          |            |
|           |       |          | SHNJX(2) | 0.43mm      |        |    |     |     |      | ●                           | ●    | 70μm | 2層  |            |      |                          |            |
|           |       |          | SHNJX(4) | 0.43mm      |        |    |     |     |      | ●                           | ●    | 70μm | 4層  |            |      |                          |            |
|           |       |          | SHX(2)   | 0.34mm      |        |    |     |     |      | ●                           | ●    |      | 2層  |            |      |                          | UL224 VW-1 |
|           |       |          | SHX(4)   | 0.34mm      |        |    |     |     |      | ●                           | ●    |      | 4層  |            |      |                          | UL224 VW-1 |
|           |       |          | ZTZX(2)  | 0.5mm       | ●      |    | ●   | ●   |      |                             |      |      | 2層  |            |      |                          |            |
|           |       |          | ZTZX(4)  | 0.5mm       | ●      |    | ●   | ●   |      |                             |      |      | 4層  |            |      |                          |            |
|           | Rトラック |          | RTF-500  | 0.24mm      |        |    |     |     |      | ●                           | 10μm |      |     |            |      |                          |            |
| ホックタイプ    |       |          | OTF      | 0.24mm      |        |    |     |     |      | ●                           | 10μm |      |     | ●          |      |                          |            |
|           |       |          | OTFX     | 0.24mm      |        |    |     |     |      | ●                           | 10μm | 2層   |     | ●          |      |                          |            |
|           |       |          | OTFS     | 0.24mm      |        |    |     |     |      | ●                           | 10μm |      | ●   | ●          |      |                          |            |
|           |       |          | OTEF     | 0.24mm      |        | ●  |     |     |      | ●                           | ●    | 10μm |     |            | ●    |                          |            |
| マジックタイプ   |       |          | MTF      | 0.24mm      |        |    |     |     |      | ●                           | 10μm |      |     |            |      |                          |            |
|           |       |          | MTF(ARK) | 0.28mm      |        |    |     |     |      | ●                           | ●    | 20μm |     |            |      |                          |            |
|           |       |          | MTFX     | 0.24mm      |        |    |     |     |      | ●                           | 10μm | 2層   |     |            |      |                          |            |
|           |       |          | MTFS     | 0.24mm      |        |    |     |     |      | ●                           | 10μm | 2層   | ●   |            |      |                          |            |
|           |       |          | MTEF     | 0.24mm      |        | ●  |     |     |      | ●                           | ●    | 10μm |     |            |      |                          |            |
|           |       |          | MTX(B)   | 0.34mm      |        |    |     |     |      | ●                           | ●    | 2層   |     |            |      |                          |            |
|           |       |          | MTX(G)   | グレー         | 0.34mm |    |     |     |      | ●                           | ●    | 2層   |     |            |      |                          |            |
|           |       |          | MTS(B)   |             | 0.34mm |    |     |     |      | ●                           | ●    |      |     | ●          |      |                          |            |
|           |       |          | MTS(G)   | グレー         | 0.34mm |    |     |     |      | ●                           | ●    |      |     | ●          |      |                          |            |
| テープタイプ    |       |          | DK-800   |             |        |    |     |     |      |                             |      |      | ●   |            |      |                          |            |
| スリーブタイプ   |       | シルバー     | ZSK-HF   |             |        | ●  | ●   |     | ●    | ●                           |      |      |     |            |      | UL1441 VW-1              |            |
|           |       | シルバー     | ZSK-BF   |             |        | ●  | ●   |     | ●    | ●                           |      |      |     |            |      |                          |            |
| 熱収縮タイプ    |       |          | SSチューブ   |             |        | ●  |     |     |      |                             |      |      | ●   |            |      | UL224 VW-1<br>(熱収縮チューブ部) |            |

※定尺内に繋ぎがある場合があります。

適用温度特殊 ※ 各製品ページをご確認ください(一般適応温度 -15℃~+60℃)

表面色 ※ 記載無しは黒色

UL94 VTM-0相当品/UL非登録 ※ 自社解析結果

ホック材質※ ●ポリアセタール ○ナイロン ◎ステンレス